

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Work Order ID 159563

Wednesday, April 12, 2017 4:13:00 PM

159563

Page 2

Item ID: D2893-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Support
Start Date: 4/18/2017 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 5/1/2017 Req'd Qty: 10.00 ***10*** Customer:
Reference: SCHEDULED/S

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							DAS 41 9-89
130 HandFXtube	Memo	1.49				10			
Hand Finishing Crosstubes	Per note 8 on page 1 of dwg D2893, Prep inner concave surface of support and apply 3M Scotch-Weld as per dwg. 24h of cure time. 135285								MAY 23 2017
140	QC3- Inspect Part Finish	0.00							DAS 38 9-89
140 QC	Memo	0.10				10			
Quality Control									MAY 25 2017
170	Identify as per dwg & Stock Location: _____	0.00							
170 Packaging	Memo	0.10				10			
Packaging	LOCATION : LG050								MAY 26 2017 DAS 6 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					
2AC 1A 3B-2									
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

159563

Wednesday, April 12, 2017 4:13:00 PM

N900040100

Stop ***NS2***

10

10

Reference: SCHEDULED/S

Run Start *NR1*

Stop ***NR2***

**Insp.
Stamp**

180

1.00

17/5/30

MAY 26 2017

**DAS
21
9-89**

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____			
Misidentified ☐		Past Due ☐					

Picklist Print

Wednesday, April 12, 2017 4:12:59 PM

Page 1

Work Order ID: 159563

159563

Parent Item: D2893-1

D2893-1

Parent Item Name: Support

Start Date: 4/18/2017

Required Date: 5/1/2017

Start Qty: 10.00

Required Qty: 10.00

Comments:

IPP: C02.11.26Reformat; Added P/OKJ

IPP D 06.04.19 removed alodine EC

IPP Rev:E Added priming as per Rev B 07-04-30 JLM

IPP F 08.03.19 Re-format EC verified by: DD

IPP Rev:G 08-05-15 add QC14 DD verified by:EC

IPP Rev:H

11.08.04 as per dwg rev.C DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
DSK078		Manufactured	No			100	Each	11.0000	0.5	5		DAS	
DSK078									**	5		20	
D2893-1 Turning Detail												9-89	17-05-02
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				MAT060		11							
				155454		5							
				158790		6							

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

DART AEROSPACE LTD		Work Order:	159563
Description: Ø2.750 Support		Part Number:	D2893-1
Inspection Dwg: D2893	Rev: C	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5
HAAS Section								
AA	2.985	3.005		2.996	2.994	2.995	2.993	2.994
AB	0.440	0.460		.450	.450	.460	.460	.460
AC	0.125	0.160		.141	.140	.130	.130	.130
AD	0.040	0.060		.051	.050	.055	.054	.053
AE	0.188	0.193		.189	.189	.189	.189	.189
AF	0.125	0.160		.140	.136	.136	.136	.137
AG	0.140	0.160		.152	.149	.150	.149	.150
AH	1.360	1.400		1.380	1.379	1.378	1.380	1.380
AI	0.040	0.060		.050	.050	.050	.049	.049
AJ	1.190	1.230		1.224	1.221	1.222	1.224	1.224
AK	0.010	0.020		.010	.010	.010	.010	.010
AL	0.053	0.073		.063	.063	.063	.063	.063
AM	0.240	0.260		.250	.250	.250	.250	.250
AN	2.518	2.538		2.530	2.530	2.528	2.528	2.528
AO	84.39	90.39		87.39	87.39	87.39	87.39	87.39
AP	0.261	0.266		.261	.261	.261	.261	.261
AQ	0.053	0.073		.063	.063	.063	.063	.063
AR				.063				
AS								
AT								
Accept/Reject								

Measured by:	DAS 20	Date:	17-05-04
Audited by:	9-DAS 44 9-89	Date:	17-05-12
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.13	New Issue	KJ/RF	
B	07.05.08	Dimension AP revised	KJ/JLM	
C	08.04.21	Reformat	KJ/JLM	
D	12.07.31	Dwg Rev updated	KJ	





DART AEROSPACE LTD		Work Order:	159563
Description: Ø2.750 Support		Part Number:	D2893-1
Inspection Dwg: D2893	Rev: C	Page 1 of 1	

FIRST ARTICLE INSPECTION DIMENSION SHEET

				Record Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	6 /	7 /	8 /	9 /	10 /
HAAS Section								
AA	2.985	3.005		2.991	2.992	2.995	2.993	2.996
AB	0.440	0.460		.460	.460	.460	.460	.460
AC	0.125	0.160		.130	.130	.130	.130	.130
AD	0.040	0.060		.054	.054	.054	.055	.055
AE	0.188	0.193		.188	.188	.188	.188	.188
AF	0.125	0.160		.135	.136	.136	.136	.136
AG	0.140	0.160		.145	.147	.150	.149	.151
AH	1.360	1.400		1.380	1.379	1.383	1.379	1.383
AI	0.040	0.060		.048	.051	.048	.049	.044
AJ	1.190	1.230		1.222	1.222	1.223	1.223	1.219
AK	0.010	0.020		.010	.010	.010	.010	.010
AL	0.053	0.073		.063	.063	.063	.063	.063
AM	0.240	0.260		.250	.250	.250	.250	.250
AN	2.518	2.538		2.530	2.528	2.528	2.528	2.528
AO	84.39	90.39		87.39	87.39	87.39	87.39	87.39
AP	0.261	0.266		.261	.261	.261	.261	.261
AQ	0.053	0.073		.063	.063	.063	.063	.063
AR								
AS								
AT								
Accept/Reject								

Measured by:	DAS 20	Date:	17-05-07
Audited by:	DAS 9-89 44	Date:	17-05-12
Preliminary Approval:		Date:	

Rev	Date	Change	Revised by	Approved
A	02.12.13	New Issue	KJ/RF	
B	07.05.08	Dimension AP revised	KJ/JLM	
C	08.04.21	Reformat	KJ/JLM	
D	12.07.31	Dwg Rev updated	KJ	



NOTES:

- 1) MATERIAL: 17-4 PH STAINLESS STEEL, H900 OR H925 CONDITION
MIN UTS = 170 KSI (38 HRc)
(REF DART SPEC. D6104)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 (REF X.XXX = ±0.010) UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: DART LOGO (PER DART SUPPLIED GRAPHIC) AND PART NUMBER IN THIS AREA WITH 0.125 HIGH LETTERING 0.010-0.020 DEEP, PER DART QSI 044 6.3.
- 7) WEIGHT: 0.78 lb
- 8) FOR THE ENTIRE INNER CONCAVE SURFACE:
ABRADE SURFACE WITH 400-GRIT SANDPAPER. REMOVE RESIDUE WITH MEK (OR EQUIVALENT). APPLY 0.03\" TO 0.05\" THICK LAYER OF 3M SCOTCH-WELD 2216 B/A ADHESIVE TO MATING SURFACE OF SUPPORT. ALLOW TO CURE FOR 24 HOURS.

D2893-1 SUPPORT

RELEASED
2011-07-28

C	RMV FINISH, ADD 3M 2216, ADD H925 MAT'L OPTION	CP	11.07.15
B	UPDATE DIMS AS MFG, PRIME INSIDE	PH	07.03.16
A	NEW ISSUE	CP	01.01.10
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.07.15		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D2893
TITLE Ø2.750 SUPPORT
REV. C
SHEET 1 OF 1
SCALE
NTS

COPYRIGHT © 2011 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.